



T/AU99/00826

Inventor

REC'D 10 NOV 1999

WIPO PCT

4

Patent Office
Canberra

I, ANNA MAIJA MADL, ACTING TEAM LEADER EXAMINATION
SUPPORT & SALES hereby certify that annexed is a true copy of the
Provisional specification in connection with Application No. PP 6180 for a
patent by POSITIVE PLAN PTY LTD filed on 28 September 1998.

WITNESS my hand this
Third day of November 1999

A. M. Madl.

ANNA MAIJA MADL
ACTING TEAM LEADER
EXAMINATION SUPPORT & SALES



PRIORITY DOCUMENT
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH
RULE 17.1(a) OR (b)

AUSTRALIA
Patents Act 1990

PROVISIONAL SPECIFICATION

Applicant(s):

POSITIVE PLAN PTY LTD

Invention Title:

APPARATUS AND METHOD FOR AVOIDING OCULAR MUSCULAR
FATIGUE

The invention is described in the following statement:

APPARATUS AND METHOD FOR AVOIDING OCULAR MUSCULAR FATIGUE

The present invention relates to an apparatus and method for the reduction or avoidance of muscular fatigue of the eyes, and is of particular but not exclusive application in avoiding such muscular fatigue encountered during prolonged reading or close use of equipment such as computers.

Existing apparatus for reducing the ill effects to the eyes of prolonged reading or use of computers, or of other activities requiring the intensive, close use of the eyes, include non-prescription spectacles with colour lenses to act as filters 1) to reduce the glare from a surrounding light source and reflection from the surface on which the eyes are focussed, and/or 2) to enhance the contrast sensitivity of the print or material being focussed upon (generally by means of a yellow filter).

Other apparatus can be used to magnify the image on a computer screen, thereby reducing the degree to which a user's eyes must focus small images. Such apparatus may employ 1) one or more Fresnel lenses, and/or 2) low plus lenses which also have magnifying effect, usually ranging from +0.50 to +0.75 spherical diopetre power.

It is an object of the present invention to provide an apparatus and method for reducing or avoiding ocular muscular fatigue in such circumstances.

According to a first broad aspect of the present invention there is provided an apparatus for avoiding ocular muscular fatigue comprising a binocular light converging means for converging incident light, thereby reducing ocular convergence demand when said apparatus is worn by a user.

Preferably said light converging means comprises two lenses.

Preferably each of said lenses comprises an optical wedge with a base, wherein said bases of said lenses are adjacent thereby forming base-in prisms.

5

Thus, the extent to which the eyes of a user of a computer or reader of any text material must converge owing to the proximity of that computer or other text material (or other apparatus) is reduced by the apparatus according to the present invention, which performs part or much of the required convergence by means of refraction. The eyes of the user may thereby be directed generally forward and parallel, even though the user is reading material or operating a computer or other apparatus whose proximity would normally require a convergence of as much as 15° or more.

10

15

20

Preferably said optical wedges are spherical optical wedges.

Thus, the lenses are preferably formed from blanks of spherical form, but thicker at one extremity relative to the other to provide the properties of an optical wedge.

25

Preferably said lenses are 0.20 to 10 base lenses.

Preferably said lenses are 0.25 to 1.5 base lenses.

30

Preferably said lenses are approximately 0.5 base lenses.

Thus, lenses of higher base may be used but in normal use 2 or 3 base lenses may provide excessive convergence.

35

Preferably said lenses are integral with each other.

Preferably are of a polymeric plastic material and more preferably polycarbonate or acrylic.

Although the lenses may be made glass, it would generally be cheaper and more convenient to construct them from a plastic material, which will also be less vulnerable to breakage.

Preferably said lenses are magnifying.

Thus, the apparatus, in addition to reducing the required ocular convergence, may also magnify the user's view.

Preferably said lenses are additionally prescription lenses.

Thus, the convergence effect of the apparatus according to the present invention may be combined with a corrective prescription to provide prescription glasses that also provide the convergence according to the present invention.

Preferably said lenses are additionally colour filters.

Preferably said lenses reduce the intensity of transmitted yellow light.

Thus, any benefits of reducing particular colour intensities may be combined with those of the convergence according to the present invention.

Preferably the apparatus is provided with adjustment means whereby the lenses' separation may be adjusted according to pupil separation of a user.

Thus, the apparatus may be adjusted so that the lenses are positioned accurately relative to each eye of a user.

Preferably the lenses are provided as a pair of spectacles.

According to a second broad aspect of the present invention there is provided a method for reducing ocular muscular fatigue due to convergence demand comprising converging light prior to said light's incidence on a user's eyes.

5

Preferably said light is converged by means of two lenses.

10

Preferably each of said lenses comprises an optical wedge with a base, wherein said bases of said lenses are adjacent thereby forming base-in prisms.

Preferably said optical wedges are spherical optical wedges.

15

Preferably said lenses are 0.20 to 10 base lenses.

Preferably said lenses are 0.25 to 1.5 base lenses.

20

Preferably said lenses are approximately 0.5 base lenses.

Preferably said lenses are integral with each other.

25

Preferably are of a polymeric plastic material and more preferably a polycarbonate.

Preferably said lenses are magnifying.

30

Preferably said lenses are additionally prescription lenses.

Preferably said lenses are additionally colour filters.

35

Preferably said lenses reduce the intensity of transmitted yellow light.

Preferably the method includes adjusting the separation of the lenses according to pupil separation of a user.

Preferably the lenses are provided as a pair of spectacles.

It should be noted that the convergence of light produced
5 by the apparatus or method according to the present
invention will reduce the convergence demand on the user's
eyes and thereby increase the divergence of the users eyes.

Preferred embodiments of the invention will be described,
10 by way of example, with reference to the accompanying
drawings in which:

Figure 1 is a view of a pair of spectacles in
accordance a preferred embodiment of the present invention;

Figure 2 is a cross-sectional view through II-II
15 of Figure 1;

Figure 3 is a view of a pair of spectacles
according to a further embodiment of the present invention;
and

Figure 4 is a cross-section through IV-IV in
20 Figure 3.

A pair of spectacles according to a preferred embodiment of
the present invention is shown generally at 10 in Figure 1.
The spectacles 10 have right and left lenses 12 and 14
25 respectively. Lenses 12 and 14 are polycarbonate or
acrylic 0.5 base-in prismatic lenses (of zero spherical
power, that is, so-called plano lenses).

Figure 2 is a view of cross-section II-II in Figure 1,
30 together with ray tracings for a light source 16. Rays 18
and 20 diverging from light source 16 will, after impinging
upon lenses 12 and 14 respectively, be refracted
convergently, and emerge at 18a and 20b substantially
parallel. Thus, when the spectacles 10 are worn by a user,
35 who may be reading from a book or a computer monitor, or
manipulating some apparatus at close proximity, the degree
of convergence required by that proximity is reduced or in

some cases substantially eliminated. Consequently, the muscular effort required to maintain this convergence is correspondingly reduced or eliminated, and the resultant muscular fatigue avoided.

5

Lenses 12 and 14 have, in this embodiment, a negligible magnifying effect. Thus, the spectacles 10 reduce the convergence demand on the user's eyes, without otherwise substantially altering the user's vision.

10

A pair of spectacles according to an alternative embodiment of the present invention is shown generally at 30 in Figure 3. In this figure, only the lens portion of the spectacles is illustrated. Lenses 32 and 34 are formed integrally for reasons of manufacturing convenience. However, as can be seen in Figure 4, which is a cross-section through IV-IV in Figure 3, lenses 32 and 34 are again base-in prismatic lenses, though formed within peripheral fabric 36, integral with lenses 32 and 34, which provides and forms the equivalent of the spectacles' frame and nose bridge. As with the first embodiment, light from light source 38 (for example rays 40 and 42) are converged by means of refraction within lenses 32 and 34 to be substantially parallel at 40a and 42a.

25

In practice, the peripheral fabric 36 may either conform to the spherical geometry of lenses 32 and 34, or be shaped to provide a more comfortable or aesthetically pleasing appearance. In this latter case, it may be desirable to provide peripheral fabric 36 with an opaque mask or substantially opaque colour so that light impinging upon peripheral fabric 36 will not distort or blur the image presented to the user.

35

Modifications within the spirit and scope of the invention may readily be effected by persons skilled in the art. For example, spectacles according to the present invention may

be provided with an adjustable bridge so that the distance between the two lenses is adjustable, to conform to the pupil separation of the user. Further, the lenses may be coloured to remove to some extent or completely certain colours that are thought to contribute to eye strain. Alternatively, the lenses may be somewhat modified to provide some magnification for greater ease of viewing or may superimpose a user's spectacles' prescription on the optical wedge so that other defects of vision of the user may be corrected with the reduction in convergence demand. Accordingly, it is to be understood that this invention is not limited to the particular embodiments described by way of example hereinabove.

DATED THIS 28TH DAY OF SEPTEMBER 1998

POSITIVE PLAN PTY LTD

By Its Patent Attorneys:

GRIFFITH HACK

Fellows Institute of Patent
Attorneys of Australia




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4

